



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/597,152

01/09/2007

Ewald Schmon

7400-X06-151

6818

27317 7590 09/23/2010  
Fleit Gibbons Gutman Bongini & Bianco PL  
21355 EAST DIXIE HIGHWAY  
SUITE 115  
MIAMI, FL 33180

EXAMINER

JONAITIS, JUSTIN M

ART UNIT

PAPER NUMBER

3752

MAIL DATE

DELIVERY MODE

09/23/2010

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/597,152	SCHMON ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	JUSTIN JONAITIS	3752	

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 5/04/2010.
2. ☒ The allowed claim(s) is/are 16-20.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

**Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).**
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |                                                                                                            |                                                                                        |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)                                           | 5. <input type="checkbox"/> Notice of Informal Patent Application                      |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO/SB/08),<br>Paper No./Mail Date _____    | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                    |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|                                                                                                            | 9. <input type="checkbox"/> Other _____.                                               |

/JUSTIN JONAITIS/  
Examiner, Art Unit 3752

/Len Tran/  
Supervisory Patent Examiner, Art Unit 3752

Art Unit: 3752

### EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with attorney of record Paul Bianco on 9/14/2010.

The specification of the application has been amended as follows:

**On Page 2 replace the first full paragraph with:**

~~This task is achieved with a flow reservoir with the features of Claim 1, a pointed tool, especially a spike, with the features of Claim 6, and also with a paint reservoir system consisting of a flow reservoir according to Claim 1 and a pointed tool according to Claim 6. Advantageous embodiments of the flow reservoir or the pointed tool can be found in subordinate Claims 2-5 or 7-10. The dependent Claims 11 and 12 relate to a paint reservoir system consisting of a flow reservoir and a pointed tool.~~

This task is achieved with a flow reservoir with the features of independent claims 16 and 19, and a pointed tool, especially a spike, with the features of independent claims 16 and 19.

2. The following is an examiner's statement of reasons for allowance: Prior art of record such as U.S. Patent #4,210,263 to Bos and U.S. Patent #5,582,350 to Kosmyrna et al. disclose that it's known in the art to provide a gravity feed container with ventilation ports in order to allow air relief to a system. However the instant application specifically discloses the structure of the ventilation port specifically that the second member is slidably received within the first member

Art Unit: 3752

and is positionable in two position, a first position in which the membrane of the first member has been punctured and an airtight seal is formed, and a second position in which an air passage is formed in order to form a ventilation path for the container. The closest piece of art available is U.S. Patent #7,416,140 to Camilleri et al. which discloses a device with a first and second position, where one position forms an airtight seal, and a second position where an air passage is formed, however the priority date of the instant application excludes the Camilleri art from being relevant prior art. Therefore the independent claims of the instant application are allowable over the prior art. Because the independent claims are allowable, the claims dependent on the independent claims are also allowable

3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JUSTIN JONAITIS whose telephone number is (571)270-5150. The examiner can normally be reached on Monday - Thurs 6:30am - 5:00 pm EST.

Art Unit: 3752

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Len Tran can be reached on (571)272-1184. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JUSTIN JONAITIS/

Examiner, Art Unit 3752

9-14-2010

/Len Tran/

Supervisory Patent Examiner, Art Unit 3752